

Products

- CCTV
- Access Control
- ANPR
- Visitor Management
- Panic Alarm Systems
- Interview Recording

Markets

- Marine
- Oil & Gas
- Law Enforcement
- Parking
- Security



HD Monitor

Monitor
HD Monitor

MONHD24

Experience HD CCTV security monitoring. Designed specifically to run for 24 hours a day, 7 days a week, 365 days a year and compatible with HDMI, VGA, DVI and 19, 24, 27 and 32" HD LED screen size options.



Features

- 19, 24, 27 and 32" HD LED screen size options
- 1367 x 768 screen resolution
- Designed for 24/7 monitoring
- HDMI, VGA & Audio inputs
- Desktop and VESA mounting options
- Two-way Audio
- Supports ONVIF Standard to Simplify Integration and Enhance Interoperability
- UL Certification
- Weather-proof IP67, Vandal-proof IK10 and NEMA 4X-rated Housing
- Video Content Analysis

Products

- CCTV
- Access Control
- ANPR
- Visitor Management
- Panic Alarm Systems
- Interview Recording

Markets

- Marine
- Oil & Gas
- Law Enforcement
- Parking
- Security

Technical Specifications

MONHD24

Resolution	HD
Diagonal size (inches)	23.8
Viewable Area WxH (inches/mm)	20.74×11.67(527.04×296.46)
Led Type	LED
Pixel Pitch (mm)	0.2745×0.2745
Screen Maximum Resolution	1920×1080
Display Resolutions	720×400;640×480;800×600;1024×768;1280×1024;1366×768;1920×1080
Supported Input Resolutions	720×400;640×480;800×600;1024×768;1280×1024;1366×768;1920×1080
Refresh Rate (Hz)	60
Colour Depth (M)	16.7
Brightness (cd/m ²) (typical)	0:00
Auto Adjust	Yes
Monitor Aspect Ratio	16:09
Display Aspect Ratio	OSD options: Full/4:3/Over Scan
Horizontal TV Lines	1080
Contrast Ratio	1000:1 SCR
Response Time (ms)	8 (GTG)
View Angle H/V (degrees)	178°x 178°/CR>10
Digital Video Inputs	HDMI up to 1920 × 1080
Analog Video In/Out	VGA up to 1920 × 1080
Audio Inputs (stereo)	1×3.5mm mini-jack
Speakers (W)	2×2
Standby)	<0.5
Power Consumption)	20W Typical
Monitor Body Dimensions	21.3"x12.6"x1.7"(541.4×321.8×43.8 mm)
Dimensions Monitor+Stand	21.3"x16.1"x7.5"(541.4×409×190 mm)


Products

- CCTV
- Access Control
- ANPR
- Visitor Management
- Panic Alarm Systems
- Interview Recording

Markets

- Marine
- Oil & Gas
- Law Enforcement
- Parking
- Security

Colour	Matte black
Case & Stand Material	Plastic
VESA Mounting Pattern (mm)	100 × 100
Base/Stand Included	Yes
Base Tilt Angle	-5°~15°
Weight Cabinet Only (kg)	6.9lbs(3.15 Kg)
Weight Cabinet+Base Stand(lb/kg)	7.7lbs(3.5 Kg)
Power Supply (internal)	AC 100-240V~50/60Hz 1.1A
Operating Temperature	0°C~40°C / 32°F~104°F
Operating Humidity	-20°C~50°C / -4°F~122°F
Accessories	10~90%
Certifications	CE/FCC/ROHS/HDMI/UL/WEEE/ REACH



For more information on any of our products or services please contact:

Paragon Security Limited

Unit 14, Bentalls Business Park, Colchester Road, Maldon, Essex CM9 4GD UK
 +44 (0)1245 210914
 info@paragon-security.com
 paragon-security.com