

### **Products**

- CCTV
- Access Control
- ANPR
- Visitor Management
- Panic Alarm Systems
- Interview Recording

#### **Markets**

- Marine
- Oil & Gas
- Law Enforcement
- Parking
- Security



# **UHD 4k Monitor**

Monitor
UHD 4k Monitor

### MONUHD27

Experience True 4K CCTV security monitoring. Boasting 16.7 million colours 4K UHD Resolution these Monitor will make your CCTV video come to life. Designed specifically to run for 24 hours a day, 7 days a week, 365 days a year and compatible with HDMI, VGA, DVI, BNC and Audio. 27, 43, 49, 55 and 65" 4K UHD LED screen size options.



### **Features**

- 27, 43, 49, 55 and 65" 4K UHD LED screen size options
- 3840 x 2160 screen resolution
- Designed for 24/7 monitoring
- HDMI, USB, VGA, DVI, BNC & Audio inputs
- Desktop and VESA mounting options
- Experience breathtaking level of details when you open your eyes to the clarity of 4K UHD screen
- 5 ms GTG response time
- 16:9 widescreen resolution
- LED backlight technology provides for industry-leading low power consumption and less...
- Enjoy crisp content and energetic hues with the 300 cd/m² brightness
- Analogue CVBS BNC input



Rev 1.0: 09.01.2024



## **Products**

- CCTV
- Access Control
- ANPR
- Visitor Management
- Panic Alarm Systems
- Interview Recording

### **Markets**

- Marine
- Oil & Gas
- Law Enforcement
- Parking
- Security

# **Technical Specifications**

# MONUHD27

Resolution	UHD
Diagonal size (inches)	27
Viewable Area WxH (inches/mm)	23.54*13.24
Led Type	LED
Pixel Pitch (mm)	0.3114×0.3114
Screen Maximum Resolution	1920×1080
Refresh Rate (Hz)	60
Colour Depth (M)	16.7
Brightness (cd/m²) (typical)	250
Auto Adjust	Yes
Monitor Aspect Ratio	16:09
Display Aspect Ratio	OSD selectable 16:9 or 4:3
Horizontal TV Lines	0:00
Contrast Ratio	3000 :1SCR
Response Time (ms)	5 (GTG)
View Angle H/V (degrees)	178°x 178°/CR>10
Digital Video Inputs	HDMI up to 1920 ×1080
Analog Video In/Out	VGA up to 1920×1080, BNC CVBS looping
Audio Inputs (stereo)	1×3.5mm mini-jack
Speakers (W)	2 × 3
Standby)	<0.5
Power Consumption)	32W Typical
Monitor Body Dimensions	24.57*14.7*2.05
Dimensions Monitor+Stand	24.57*18.2*7.6
Colour	Matte black
Case & Stand Material	Plastic
VESA Mounting Pattern (mm)	100 × 100
Base/Stand Included	Yes
Base Tilt Angle	-5°~15°



## **Data Sheet**

Rev 1.0: 09.01.2024


### **Products**

- CCTV
- Access Control
- ANPR
- Visitor Management
- Panic Alarm Systems
- Interview Recording

### **Markets**

- Marine
- Oil & Gas
- Law Enforcement
- Parking
- Security

Weight Cabinet Only (kg)	11.06
Weight Cabinet+Base Stand(lb/kg)	10.42
Power Supply (internal)	AC 100-240V~50/60Hz 1.1A
Operating Temperature	0°C~40°C / 32°F~104°F
Operating Humidity	-20°C~50°C / -4°F~122°F
Accessories	10~90%
Certifications	CE/FCC/ROHS/HDMI/UL/WEEE/ REACH



For more information on any of our products or services please contact:

## **Paragon Security Limited**

Unit 14, Bentalls Business Park, Colchester Road, Maldon, Essex CM9 4GD UK +44 (0)1245 210914 info@paragon-security.com paragon-security.com